

WP300 WIRELESS BLUETOOTH CONTROL POD

Instant, easy and efficient communication is key in all work environments. The WP300 provides exactly that; it is a Bluetooth audio pod, that gives you ease of access to push-to-talk communication, an emergency button¹, and radio calling functionalities. It creates efficient communication in a rugged device to be used in all workplace environments, from manufacturing and construction to government and private security. With its durable polycarbonate housing and dedicated emergency button, the WP300 is the rugged device that you and your teams need for any and every condition and circumstance.

BRING YOUR OWN DEVICE

This Bluetooth control pod can connect to smartphone devices that run push-to-talk applications over cellular (PTToC). When the WP300 connects to these devices, the devices' audio becomes muted, and the audio is then clearly and effectively transmitted through a connected earpiece². This creates increased access to communication without the complications of using wired earpieces with your PTToC devices, which are typically further away and harder to access than the WP300. When your device is difficult to reach, the WP300 is there, whether it's in your pocket, on your jacket or attached to a compatible vehicle mount.

EMERGENCY BUTTON

The WP300 has a dedicated emergency button. In the event of an emergency, pressing the emergency button gives you immediate access to help when used with a WAVE PTX™ or KODIAK Broadband Push to Talk enabled device. In a high-pressure situation, rather than search and waste time trying to access your device, simply press the dedicated emergency button on the more discreet and accessible WP300.

COMPATIBLE ACCESSORIES

The WP300's compatible accessories allow you to further enhance its functions and ease of use. There are three compatible earpieces that work to enhance the WP300's clarity and privacy in communications. Bring your device on the road and stay focused with its compatible vehicle mount, which allows easy, efficient connection in various attachable locations. The compatible accessories, combined with the WP300's ruggedness factor, create further accessibility for use in all environments.

HIGHLIGHTS

- · Rugged design
- Bluetooth 5.0 LE
- NFC Pairing
- Push To Talk over Cellular (PTToC)
- Dedicated Emergency button
- Multi-function call answer, end and mute button
- Extended talk time (18 hours)
- IP67 (pod only)
- · Vehicle Mount Option





VEHICLE MOUNT

PART NUMBER: PMLN8332

- Hook and loop strap and cable tie options included
- Interchangeable with swivel clip
- WP300 is easily removable from the vehicle mount



EARPIECES COMPATIBLE WITH WP300

SURVEILLANCE EARPIECE WITH TRANSLUCENT TUBE

PART NUMBER: PMLN8190

- In-line PTT and microphone
- Cable length 1270 mm
- · Twist and lock connector
- Replaceable translucent tube



SWIVEL EARPIECE WITH EARTIP, LONG CORD 950 mm

PART NUMBER: PMLN8077

SWIVEL EARPIECE WITH EARTIP, SHORT CORD 350 mm

PART NUMBER: PMLN8125

- Swivel comfort rubber ear hook fits left or right ear
- Wear with or without the ear tip provided
- Replaceable ear tip for better hygiene
- In-line PTT and microphone
- Twist and lock connector

SPARE PARTS

EARHOOK TIP (5 per pack), SMALL

PART NUMBER: PMLN8068



EARHOOK TIP (5 per pack), MEDIUM

PART NUMBER: PMLN8069



EARHOOK EAR TIP (5 per pack), LARGE

PART NUMBER: PMLN8070



CLEAR TUBE (1 piece)

PART NUMBER: PMLN8092





SPECIFICATIONS

WP300 WIRELESS BLUETOOTH CONTROL POD WITH PUSH TO TALK		
Part Number	PMLN8298	
Kit Includes	Swivel Clip for WP300 Wireless Push to Talk Pod Micro-USB Charging Cable WP300 User Guide WP300 Leaflet	
WAVE PTX Radios ³	TLK 100, TLK 150	
Compatible Kodiak Versions	BYOD Android, LEX L11, Evolve with Kodiak v10.0.x or newer. BYOD iOS with Kodiak v10.0.x or newer	
Compatible WAVE PTX Versions	WAVE PTX version 10.0.1.54 or newer	
BLUETOOTH		
Range	30 metres line of sight	
Bluetooth Version	5.0 LE	
Pairing Method	Standard Pairing, NFC	
CONTROLS		
Front	Push-To-Talk (PTT) button Multi-function button: call answer, end and mute	
Side	Emergency Button¹ Volume Controls On/Off Button	
ENVIRONMENTAL		
Operating Temperature	-20°C to +60°C (-4°F to +140°F)	
Storage Temperature	-40°C to +85°C (-40°F to 185°F)	
IP Rating	IP67 with dust cover closed	
Shock / Vibration Test	MIL-STD-810H	

PHYSICAL		
Dimension (W x L x D)	41mm x 20mm x 72mm	
Weight (Pod + Clip)	46.5 +/- 5 grams	
POWER		
Power Source	Embedded Battery	
Battery Life	18 hours (5/5/90 duty cycle)	
Battery capacity	290 mAh	
ORDERING GUIDE:		
WP300	PMLN8298	
Earpieces:		
Swivel Earpiece with Eartip, Long Cord	PMLN8077	
Swivel Earpiece with Eartip, Short Cord	PMLN8125	
Surveillance Earpiece with Translucent Tube	PMLN8190	
Mounting Accessory:		
Vehicle Mount	PMLN8332	
REPLACEMENT PARTS		
Swivel Clip	PMLN6246	
Replacement eartip (5 per pack), Small	PMLN8068	
Replacement eartip (5 per pack), Medium	PMLN8069	
Replacement eartip (5 per pack), Large	PMLN8070	
Replacement translucent tube	PMLN8092	

For more information, visit:

motorolasolutions.com/WP300

 $Motorola\ Solutions\ Ltd.\ Nova\ South,\ 160\ Victoria\ Street,\ London,\ SW1E\ 5LB,\ United\ Kingdom.\ \textbf{motorolasolutions.com}$

Availability is subject to individual country law and regulations. All specifications shown are typical unless otherwise stated and are subject to change without notice.

MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. ©2021 Motorola Solutions, Inc. All rights reserved. (12-21)



¹ WAVE PTX or Kodiak Broadband PTT subscription supporting Emergency operation required to enable the WP300 emergency button functionality.

² Earpieces not included, available for purchase separately.

³ TLK 100 and TLK 150 support WP300 with PMLN8190, PMLN8077 or PMLN8125 earpiece only (separate Bluetooth or wired earpiece connected to the TLK device are not supported).